# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# Wake Robin Farms

James Loder Park, Manager

Home, Pennsylvania

## WILD FLOWERS and FERNS

Prices net, f.o.b., Home, Pennsylvania. If plants are shipped by express, charges collect; if by mail, the postage with remittance is 10% east of the Mississippi; 20% west.

Six plants of one kind at the dozen rate. If interested, please ask for our 100 rate.

C.O.D. orders accepted.

All plants hardy for all climates.

Two planting seasons: Spring, about March through June; Fall, about September through November.

This Farm is on U. S. Route 119, 62 miles northeast of Pittsburgh; 9 miles north of Indiana, Pa.

We aim to promote conservation and propagation of wildings. We handle and pack with extreme care, for delivery in perfect condition.



To brighten a shady nook in the garden



### WILD FLOWERS

Anemone, Rue (Anemonella thalictroides). White, tiny, 3-6 inches, March-May, semi-shade, banks, open woods. 25c each; \$2.50 for 12.

Arbutus, Trailing (Epigæa repens). Pink-white; April-May: sandy, drained soil, extreme acidity required; sun or shade. 40c each; \$4.00 for 12.

Arrowhead (Sagittaria latifolia), White; bog. 35c each; \$3.50 for 12.

Aster. White, mauve, purple; field flower, 2 feet; full sun: October. 30c each; \$3.00 for 12.

Baneberry, Red (Actæa rubra). White, April-June; 2 feet, red berries, August; cool, moist, drained woods. 40c each; \$4.00 for 12.

- Baneberry, White (Actea alba). White flower, April-June; white berry, August; 2 feet; cool parfial shade. 40c each; \$4.00 for 12.
- Bellwort; Wood Merrybells (Uvularia perfoliata). Yellow, small, lily-like. Semi-shade, with drainage. 6-18 inches. 30c each; \$3.00 for 12.
- Bergamot, Wild (Monarda fistulosa). White to magenta; 3-4 feet; June to September; dampish soil. 30c each; \$3.00 for 12.
- Bishop's Cap; Mitrewort (Mitella diphylla). White plume, 8-16 inches high; April and May; rockery. Drained loam. 30c each; \$3.00 for 12.
- Bleeding Heart, Old-Fashioned (Dicentra spectabilis). Pink hearts; bushy growth, reaching 2 feet: May to August; any soil, sun or shade. 50c each; \$5.00 for 12.
- Bleeding Heart, Wild (Dicentra eximia). Deep rose: 1 foot high: May to August, Acid soil, some shade: rockery. 35c each; \$3.50 for 12.
- Bloodroot (Saguinaria canadensis). Small, pure white petalled flower, golden center: April. Ordinary soil, some shade; 6-10 inches. 30c each; \$3.00 for 12.
- Bluebells of Scotland; Harchell (Campanula rotundifolia). Slender, reclining stems, 6:10 inches long. Very adaptable to soil and light. 30c each; \$3.00 for 12.
- Bluebells, Virginia; Virginia Cowslip (Mertensia, Virginica). Sky-blue trumpets on reclining stems, 1-2 feet; May, Partial shade or sunlight. Damp, acid (simply unsweetened) soil. 30c each; \$3.00 for 12.
- Bluet; Quaker Lady; Innocence; Eyebright (Houstonia coerulea). Blue-white, tiny, dense clumps, 3/5 inches. Full sun or partial shade: common soil. 30c each; \$3.00 for 12.
- Boneset; Thoroughwort (Eupatorium perfoliatum). Bog plant, white flower, 2-4 feet. Boneset tea for chills. 30c each; \$3.00 for 12.
- Pouncing Bet; Soapwort (Saponaria officinalis). Pinky-white flower, languid stem, 1-2 feet. Open sun, partial shade, any soil. 30c each; \$3.00 for 12.
- Buttercup, Swamp (Ranunculus septentrionalis). Richly yellow, 1-2 feet high, in damp or marshy places. May to August. 30c each; \$3.00 for 12.
- Butterflyweed; Pleurisy Root (Tuberosa asclepias). Flaming orange flowers. 1/2 feet, open sunlight, any soil. 30c each; \$3.00 for 12.
- Calamus: Sweet Flag (Acorus calamus). Bright green spike leaves, 1-3 feet, small blooms in June-July; wet soil. 30c each; \$3.00 for 12.
- Canada Mayflower; Wild Lily of the Valley (Majanthemum canadense). Low, spreading, very small white plumes, May and June; red berries. Ground cover. 30c each; \$3.00 for 12.
- Cardinal Flower (Lobelia cardinalis). Blazing red flower: 2-4 feet, July-September. Damp soil. 30c each; \$3.00 for 12.

- Cinquefoil; Five Finger (Potentilla canadensis). Creeper, spreads over barren spots, full sun; small yellow flowers. 25c each; \$2.50 for 12.
- Clintonia (Clintonia borealis). Creamy white flower plume, spreading, shiny green leaves, berries steely blue in August. About 6.8 inches high. 30c each; \$3.00 for 12.
- Club Moss, Shining (Lycopodium lucidulum). Primitive evergreen, bristling stalks, clumped in deep shade, rich loam. Related to Ground Cedar and Ground Pine. 30c each; \$3.00 for 12.
- Columbine, Wild (Aquilegia canadensis). Rockery plant, 10 20 inches, drought resistant; well-drained, average soil. 30c each; \$3.00 for 12.
- Crinkleroot; Two-Leaved Toothwort (Dentaria diphylla). Small white flower in terminal cluster, low-growing, April, May. Roots creep in rich, moist ground. 30c each; \$3.00 for 12.
- Dutchman's Breeches (Dicentra cucullaria). Tiny white pantlets, upsidedown on stem, about 8 inches high. Moist shade; woods loam, or sandy acid soil. 30c each; \$3.00 for 12.
- Firepink; Catchfly (Silene virginica). Brilliant crimson, June to August; drought tolerant; likes poor, shaly ground, ideal for rockery. 40c each; \$4.00 for 12.
- Foam Flower; False Mitrewort (Tiarella cordifolia). Fluffy white flower heads in May and June, 6-10 inches high. Large evergreen leaves and runners tend to cover the ground. Moist, shady, rocky places. 30c each; \$3.00 for 12.
- Gentian, Closed; Bottle Gentian (Gentiana Andrewsii). Gourd-shaped flowers clustered on top of stems 1/2 feet high. Blooms late, September, October. Cool, moist shade. 40c each; \$4.00 for 12.
- Geranium, Wild; Wild Cranesbill (Geranium maculatum).
  Blooms all summer, May August, 1-2 feet high, open shade. Pink-lavender. 30c each; \$3.00 for 12.
- Ginger, Wild (Asarum canadense). Spicy ginger roots; showy leaves 4-6 inches; blossom cup hides in loan; moist ground in shade. 30c each; \$3.00 for 12.
- Greek Valerian (Polemonium reptans). Light blue flowers clustered a foot high, April, May. Striking ladder-type foliage. Wants shade, dampish earth. 40c each; \$4.00 for 12.
- Ground Cedar (Lycopodium complanatum) Grouped with Clubmoss, evergreen ground cover, sunlight or shade, dry woods. 30c each; \$3.00 for 12.
- Ground Pine (Lycopodium obscurum). Another Clubmoss, evergreen dwarf pine, 5-6 inches high, from deep root runners. 40c each; \$4.00 for 12.
- Hawkweed; Rattlesnake Weed; Poor Robin's Plantain (Hieracium venosum). Brightly veined leaves flat on ground; flowers yellow in June, on slender stems to a foot high; in poor soil, dry woods, open sandy places. 25c each; \$2.50 for 12.

- Hepatica, Round-Lobed; Liverwort; Liver Leaf (Hepatica triloba). Early flower, many shades of blue to whitish, March to May. Adapts to indoors, rockery; partial shade, acid loam. 30c each; \$3.00 for 12.
- Ivy, English (Hedera helix). Climber and ground cover; evergreen; well-rooted; 8-12 inches. 30c each; \$3.00 for 12.
- Ivy, Ground; Gill-over-the-ground (Nepeta hederacia). East-creeping ground cover, little blue blossoms all summer. Grows anywhere. 25c each; \$3.00 for 12.
- Jack-in-the-Pulpit; Indian Turnip (Arisama triphyllum). Green or brown-striped, hooded flower, a foot high; bright red berries in fall, easily grown seed in wet soil and shade. 30c each; \$3.00 for 12.
- Joe Pye Weed; Trumpet Weed; Queen of the Meadow (Eupatorium purpureum). Tall, 4-8 feet, for atmosphere, background. Wet soil. Large cluster of lavender flowers. July-September. 40c each; \$4.00 for 12.
- Lady's Slipper, Pink; Mocassin Flower (Cypripedium acaule). Pink shoe rises a foot above broad base leaves. Well-drained acid loam, rotted wood, for facing down or underplanting larger shrubs; rockery. 40c each; \$4.00 for 12.
- Lady's Slipper, Showy (Cypripedium spectabile; C. regina; C. hirsutum). Frosty white flower, stained magenta; June; downy stem, a foot high. Wet, but drained, soil. 40c each; \$4.00 for 12.
- Lady's Slipper, Yellow (Cypripedium pubescens). Butter-yellow, May and June; a foot high. Drained soil, loamy or stony, with shade. 40c each; \$4.00 for 12.
- Lily, Turkscap (Lilium superbum). Orange-red flowers, 5-7 feet; June-August; fragile bulbs 6 inches deep in average moist soil. Open sunlight. 65c each; \$6.50 for 12.
- Lobelia, Great; Large Blue Lobelia (Lobelia syphilitica). Multiple flowers on spike stem, 1-3 feet high. Moist ground: increased by seed and root division. July-September. 30c each; \$3.00 for 12.
- Marsh Marigold; Mary-Bud (Caltha palustris). Gold-yellow big flowers, April and May; resembles cowslip and buttercup. Roots multiply, divide, in rich mud; potted for indoor blooming, April, May; 6-12 inches. 35c each; \$3.50 for 12.
- May Apple; Mandrake; Umbrella Leaf; Wild Lemon (Podophyllum peltatum). Knee-high spreading leaves over waxy white flowers in May, of course. Fleshy apple is yellow in late summer. Any shadey spot. 25c each; \$2.50 for 12.
- Meadow Rue, Tall (Thalictrum polygamum). Plumy clusters of white flowers, spreading branches, 3-5 feet high. Damp soil, light shade to open sun. 30c each; \$3.00 for 12.
- Monkey Flower (Mimulus ringens). Flowers light blue, grinning monkey faces, July-September. Damp soil. 1/3 feet high. 35c each; \$3.50 for 12.

- Myrtle (Vinca minor). Ground cover; blue flowers; plant in 1-foot squares; likes a little shade; grows readily in any soil. 30c each; \$3.00 for 12.
- Oswego Tea; Bee Balm (Monarda didyma). Flaming dark red flower on stem 3-4 feet tall. Fragrant, hardy, spreads by root runners, in moist ground; July to September; border shade. 35c each; \$3.50 for 12.
- Pachysandra. Ground cover for shade. 30c each; \$3.00 for 12.
- Partridgeberry; Twinberry (Mitchella repens). Evergreen creeper; small, fragrant, white blooms in June; bright red. edible berries in autumn. Damp shade, drained, acid. 30c each (clump); \$3.00 for 12.
- Peppermint (Mentha piperita). Small blue flower, luscious mint aroma from leaves. Damp to soggy soil, ditches, any wet place; 18-30 inches high; spreads by roots. 35c each; \$3.50 for 12.
- Phlox, Wild Blue (Phlox divaricata). Evergreen; lavender flowers, April, May: grows 9-15 inches in open shade. Multiple drooping stems for rock garden: average soil, damp and drained. 30c each; \$3.00 for 12.
- Phlox, Pink (Phlox ovata). Rose-pink flowers on stalks 4-7 inches high, in May. Creeping roots and spreading foliage form gorgeous ground cover, evergreen too. Light shade. 30c each; \$3.00 for 12.
- Rattlesnake Plantain (Epipactis pubescens, Goodyera pubescens). Little orchid, dark evergreen leaves, strongly white-veined, rattlesnake effect. Woolly stem, 4 inches, bearing tiny white blossoms, July, August. Stony, shaly, piney spots, in shade. 40c each; \$400 for 12.
- Saxifrage, Early; Virginia Saxifrage (Saxifraga virginiensis). Rockery item: flourishes in stone and shale, grows anywhere. Small white flowers on 6-inch stem rising from basal leaves, in April. 25c each; \$2.50 for 12.
- Shooting Star; American Cowslip (Dodecatheon meadia). Blossoms rose-pink, clustered on 10 inch stem, over basal leaves. May and June. Grows in any soil, open shade. 35c each; \$3.50 for 12.
- Snakeroot, Black; Black Cohosh; Bugbane (Cimicifuga racemosa). Tree-like plant, 2-4 feet: white flower plumes, purple berries in fall. Damp woods, drained soil. 30c each; \$3.00 for 12.
- Snakeroot, White (Eupatorium urticaefolium). Downy clusters of white flowers at top and ends of open branches, 1-3 feet high. Woods plant, suits a shady garden; blooms August. 30c each; \$3.00 for 12.
- Solomon's Seal, False (Smilacing racemosa). White flower plume at end of single, arching stem, 12-18 inches long. Blooms May and June; Tuby red berries. 30c each; \$3.00 for 12.
- Solomon's Seal, True (Polygonatum biflorum). Small greenish flowers hang in a row of pairs under arching stalks, a foot long, forming steel-blue berries in fall. Favors stony soil: rockery: semi-shade: well-drained to dry soil. 30c each; \$3.00 for 12.
- Spearmint (Mentha spicata). Pungent fragrance of leaves more sought than the little lavender flower. Wet ground, ditches, open soggy spots; spreads rapidly. 30c each; \$3.00 for 12.

- Spring Beauty (Claytonia virginica). Rosy white flowers on numerous drooping stems from a tiny pellet bulb. Blooms very early, even in March, and into May. Moist ground, under trees or in open. 25c each; \$2.50 for 12.
- Strawberry, Wild (Fragaria virginiana). White petalled, yellow flowers, April to June, followed by real strawberries, on spreading vines. Any soil in open sun. 25c each; \$2.50 for 12.
- Tansy (Tanacetum vulgare). Richly aromatic leaves, topped by yellow flowers, July to September; 1-3 feet tall. Grows lustily and spreads in poorest soil, full sunlight. 30c each; \$3.00 for 12.
- Trillium, Red; WAKE ROBIN (Trillium erectum). This Farm took its name from the steep bank of native Wake Robins found near a little brook. Usually maroon, with lighter variations, the flower inclines over the very large leaves, up to 15 inches high. Fairly deep shade, well-drained loamy soil. Blooms April to June. 30c each; \$3.00 for 12.
- Trillium, White; Large-Flowering Trillium (Trillium grandiflorum). Waxy white flowers, very showy in groups, 8-12 inches above ground; blooms April and May, turns pink as it fades, forms red berries. Average soil, moist, drained, lightly shaded, easily established. 30c each; \$3.00 for 12.
- Turtle Head (Chelone glabra). Flowers are smooth, white globes with rosy tint, clustered on a spike, July to September. Bog plant, adapting to any damp soil, 2 feet high. 35c each; \$3.50 for 12.
- Violet, Blue (Viola papilionacea). The common blue violet, in case you don't have it. Spreads, permits plucking, tolerant of soil and light, prefers dampness. Low-growing, domestic, yet an ancient favorite of royalty. 30c each; \$3.00 for 12.
- Violet, Dog (Viola conspersa). Compact cluster of heart-shaped leaves, and abundant light-blue flowers. April and May. Requires shade. 30c each; \$3.00 for 12.
- Violet, Smooth Yellow (Viola scabriuscula). Golden yellow, on rangey, smooth stems, blooms April-May. Moist loam, open shade preferred; adaptable. 30c each \$3.00 for 12.
- Violet, Long-Spurred (Viola rostrata). Extremely dainty, pointed spur; multiple blue flowers in bouquet effect: May. Open shade; drained, loose loam. 35c each; \$3.50 for 12.
- Violet, Sweet White (Viola blanda). Tiny white flowers, with purple veins, on small bunchy plant, April-May. Damp shade: drought tolerant. 30c each; \$3.00 for 12.
- Violet, White Striped (Viola striata). A larger violet, creamy-white, lower petal purple-veined, on long stalks, 6-12 inches, evergreen. Prolific, April to June. Very adaptable to all conditions; moist shade best. 30c each; \$3.00 for 12.
- Wintergreen; Teaberry; Mountain Tea (Gaultheria procumbens). Aromatic, evergreen, ground-cover; rootrunners. Shiny dark green leaves; small waxy-white flowers July-August; tasty red berries in fall. Loamy soil, light shade. 30c each; \$3.00 for 12.

### **FERNS**

- Beech Fern, Broad (Phegopteris hexagonoptera). Triangular frond on stem, 4-8 inches high. Shallow planting in average, even dry, soil, fairly deep shade. 25c each; \$2.50 for 12.
- Brittle Fern (Cystopteris fragilis). Little fellow, produces fronds, 4/8 inches, early spring to fall. Bright green: shallow rooting, average soil, shaded rockery. Very adaptable. 25c each; \$2.50 for 12.
- Christmas Fern (Polystichum acrostichoides). Shiny, evergreen fronds, 8-20 inches, with dagger-shaped pinnæ in ladder effect. Fronds cut for Christmas and floral use. Rockery, stony woods, deep soil, good shade. Well drained; adapts to varied conditions. 35c each; \$3.50 for 12.
- Common Woodfern; Evergreen Lace Fern (Thelypteris intermedia). Finely cut, lacey fronds, 1-2 feet long, to front down larger ornamentals, for rockery, and adapts to many conditions: requires only shade. 35c each; \$3.00 for 12.
- Hay-Scented Fern (Dennstedtia punctilobula). Feathery, light green, 1-2 feet, root runners. Stony ground, rockery, open shade, clearings; any drained soil; drought resistant. Fronds may be cut freely. 30c each; \$3.00 for 12.
- Interrupted Fern (Osmunda claytoniana). Graceful spray of fronds, 2-3 feet long; rockery, foundation, specimen planting; very drought resistant; some shade during day; widely adaptable. 40c each; \$4.00 for 12.
- Leather Woodfern; Marginal Woodfern (Thelypteris marginalis). Evergreen leaflets or pinnæ have wrinkled leathery texture. Prefers deep shade, stony earth, company of conifers; 2 feet high. 35c each; \$3.50 for 12.
- Maidenhair Fern (Adiantum pedatum). Tressy-soft spreading frond umbrellas atop a very slender, polished, mahogany stem, 10-15 inches high. Porch, foundation, shrubbery planting; ordinary non-acid soil; very adaptable; ample shade. 35c each; \$3.50 for 12.
- New York Fern (Thelypteris noveboracensis). The only fern with frond tapering down, 8-15 inches. Dry, cool shade; Creeping roots produce multiple fronds, yellow-green. Needs deciduous leaf mulch; any good soil. 30c each; \$3.00 for 12.
- Sensitive Fern (Onoclea sensibilis). Yellowsih green, lush, succulent, primitive fronds. Erect fruiting stalk turns brown, remains all winter, 8-16 inches; moist, open ground. 35c each; \$3.50 for 12.
- Spleenwort, Ebony (Asplenium platyneuron). Sprightly miniature fern, 4-8 inches, rigid, evergreen fronds. Loves stony, shaly, gravelly banks, edges, rockery perches, clefts, and border shade. Frond stems a glossy, ebony brown. 25c each; \$2.50 for 12.
- Spleenwort, Silvery Athyrium acrostichoides). Silvery sheen on backs of bright-green fronds, 1-2 feet tall. Needs damp, shaded places, average soil. 40c each; \$4.00 for 12.

# WAKE ROBIN FARMS

Home, Pennsylvania

WILD FLOWERS AND FERNS

U. S. DEPARTMENT OF AGRICULTURE
LIBRARY
WASHINGTON 25 D.C.

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, \$300 (GPO)

WASHINGTON 25, D. C.

OFFICIAL BUSINESS

PRINTED MATTER

Library, U. S. Dept. of Agriculture,

and Gardening!